

STAINLESS STEEL CONVEX MIRRORS

OUTDOOR VERSION - ORANGE PVC RING PROTECTION



OUTDOOR Stainless Steel Convex Mirrors

320 / 490 mm

Original product image

SIZE (mm)	320	490
PRODUCT CODE	CMCL162532NH00	CMCL172749NH01
LENS		
MATERIAL TYPE	SUS 304	SUS 304
THICKNESS (MM)	0.6	0.7
TOLERANCE	+/- 0.05	+/- 0.05
REFLECTIVITY	> 60%	> 60%
RADIUS (R')	650	1200
TOLERANCE	+/- 5%	+/- 5%
VIEWING AREA RANGE (L~U MM)	300~320	470~490
TOLERANCE	- 20 MM	- 20 MM
FRAME AND BACK PLATE		
MATERIAL TYPE	SUS 430	SUS 430
THICKNESS (MM)	0.5	0.7
TOLERANCE (MM)	+/- 0.05	+/- 0.05
EDGE PROTECTION	Orange UV Resistance PVC Material	Orange UV Resistance PVC Material
SUN CAP PROTECTION	Orange UV Resistance Polycarbonate	Orange UV Resistance Polycarbonate
UNIT WEIGHT REFERENCE		
KG	2.0	4.0
SET BRACKETS		
MATERIAL	ALUMINIUM ALLOY 6063	ALUMINIUM ALLOY 6063
COATING	n.a.	n.a.
TUBE DIAM. MM	50	50
WEIGHT KG	INCLUDED IN THE ABOVE INDICATION	INCLUDED IN THE ABOVE INDICATION

Graphic revision: October 2026. Technical data: original V1/2023 document.

Indicative data, subject to possible unilateral changes. Picture for reference only

STAINLESS STEEL CONVEX MIRRORS

OUTDOOR VERSION - ORANGE PVC RING PROTECTION



OUTDOOR Stainless Steel Convex Mirrors

600 / 800 / 1000 mm

Original product image

SIZE (mm)	600	800	1000
PRODUCT CODE	CMCH15Z960SCE0	CMCH15Z980SCE0	CMCH18Z0A0SCE0
LENS			
MATERIAL TYPE	SUS 304	SUS 304	SUS 304
THICKNESS (MM)	0.5	0.5	0.8
TOLERANCE	+/- 0.05	+/- 0.05	+/- 0.05
REFLECTIVITY	> 60%	> 60%	> 60%
RADIUS (R')	2200	3000	3600
TOLERANCE	+/- 5%	+/- 5%	+/- 5%
VIEWING AREA RANGE (L~U MM)	570~600	770~800	970~1000
TOLERANCE	- 30 MM	- 30 MM	- 30 MM
FRAME AND BACK PLATE			
MATERIAL TYPE	SGCC-Z	SGCC-Z	SGCC-Z
THICKNESS (MM)	0.9	0.9	1.0
TOLERANCE (MM)	+/- 0.05	+/- 0.05	+/- 0.05
EDGE PROTECTION	Orange UV Resistance PVC Material	Orange UV Resistance PVC Material	Orange UV Resistance PVC Material
SUN CAP PROTECTION	Orange UV Resistance Polycarbonate	Orange UV Resistance Polycarbonate	Orange UV Resistance Polycarbonate
UNIT WEIGHT REFERENCE			
KG	8.5	11.5	19.5
SET BRACKETS*			
MATERIAL	MILD STEEL	MILD STEEL	MILD STEEL
COATING	HOT-DIP GALVANIZED (HDG)	HOT-DIP GALVANIZED (HDG)	HOT-DIP GALVANIZED (HDG)
TUBE DIAM. MM	60 or 76	60 or 76	60 or 76
WEIGHT KG	Ø 60 = 1,12 Ø 76 = 1,25	Ø 60 = 1,12 Ø 76 = 1,25	Ø 60 = 1,12 Ø 76 = 1,25

* Wall mounting brackets available upon request.

Graphic revision: October 2026. Technical data: original V1/2023 document.

Indicative data, subject to possible unilateral changes. Picture for reference only

STAINLESS STEEL CONVEX MIRRORS

OUTDOOR VERSION - ORANGE PVC RING PROTECTION



OUTDOOR Stainless Steel Convex Mirrors

450*600 / 600*800 mm

Original product image

SIZE (mm)	450*600	600*800
PRODUCT CODE	CMRH19Z946SCE0	CMRH19Z968SCE0
LENS		
MATERIAL TYPE	SUS 304	SUS 304
THICKNESS (MM)	0.6	0.7
TOLERANCE	+/- 0.05	+/- 0.05
REFLECTIVITY	> 60%	> 60%
RADIUS (R')	2200	3000
TOLERANCE	+/- 5%	+/- 5%
VIEWING AREA RANGE (L~U MM)	570~600 (X) 420~450 (Y)	770~800 (X) 570~600 (Y)
TOLERANCE	- 30 MM	- 30 MM
FRAME AND BACK PLATE		
MATERIAL TYPE	SGCC-Z	SGCC-Z
THICKNESS (MM)	0.9	0.9
TOLERANCE (MM)	+/- 0.05	+/- 0.05
EDGE PROTECTION	Orange UV Resistance PVC Material	Orange UV Resistance PVC Material
SUN CAP PROTECTION	Orange Stainless Steel Sheet	Orange Stainless Steel Sheet
UNIT WEIGHT REFERENCE		
KG	8.5	13.5
SET BRACKETS		
MATERIAL	MILD STEEL	MILD STEEL
COATING	HOT-DIP GALVANIZED (HDG)	HOT-DIP GALVANIZED (HDG)
TUBE DIAM. MM	60 or 76	60 or 76
WEIGHT KG	Ø 60 = 1,12 Ø 76 = 1,25	Ø 60 = 1,12 Ø 76 = 1,25

* Wall mounting brackets available upon request.

Graphic revision: October 2026. Technical data: original V1/2023 document.

Indicative data, subject to possible unilateral changes. Picture for reference only